

# Package: mixedClust (via r-universe)

June 18, 2026

**Type** Package

**Title** Co-Clustering of Mixed Type Data

**Version** 1.0.2.1

**Date** 2026-06-01

**Maintainer** Julien Jacques <julien.jacques@univ-lyon2.fr>

**Description** Implementation of the co-clustering method for mixed type data proposed in M. Selosse, J. Jacques, C. Biernacki (2018) <<https://hal.science/hal-01893457>>. It consists in clustering simultaneously the rows (observations) and the columns (features) of a heterogeneous data set.

**License** GPL (>= 2)

**Imports** Rcpp (>= 0.12.11), fda, methods

**LinkingTo** Rcpp, RcppProgress, RcppArmadillo

**Suggests** rmarkdown, ordinalClust, knitr

**VignetteBuilder** knitr

**LazyData** true

**Depends** R (>= 3.5.0)

**NeedsCompilation** yes

**Author** Margot Selosse [aut], Julien Jacques [aut, cre], Christophe Biernacki [aut]

**Config/pak/sysreqs** make

**Repository** <https://jujacques.r-universe.dev>

**Date/Publication** 2026-06-17 13:30:08 UTC

**RemoteUrl** <https://github.com/cran/mixedClust>

**RemoteRef** HEAD

**RemoteSha** bd3dd56adca192f40b88c31cd50d691b47e55da6

## Contents

M1 . . . . .	2
mixedCoclust . . . . .	2

**Index****5**


---

M1	<i>Matrix of simulated ordinal data</i>
----	---

---

**Description**

This is a toy dataset for running simple examples.

**Usage**

M1

**Format**

A mixed type data matrix with 50 lines and 120 columns. There are 40 categorical variables, 40 continuous variables, and 40 ordinal variables.

---

mixedCoclust	<i>Function to perform a co-clustering</i>
--------------	--

---

**Description**

This function performs a co-clustering on heterogeneous data sets by using the Multiple Latent Block model (cf references for further details).

**Usage**

```
mixedCoclust(x=matrix(0,nrow=1,ncol=1), idx_list=c(1), distrib_names,
             kr, kc, init, nbSEM, nbSEMBurn, nbRepeat=1, nbindmini, m=0,
             functionalData=array(0, c(1,1,1)), zrinit= 0 , zcinit=0,
             percentRandomB=0, percentRandomP=0)
```

**Arguments**

x	Data matrix, of dimension $N \times J_{tot}$ . The features with same type should be aside. The missing values should be coded as NA.
idx_list	Vector of length D. This argument is useful when variables are of different types. Element d should indicate where the variables of type d begins in matrix x.
distrib_names	Vector of length D. indicates the type of distribution to use. Must be among "Gaussian", "Multinomial", "BOS", "Poisson" or "Functional". Functional data must always be at the end.
kr	Number of row classes.
kc	Vector of length D. d-th element indicates the number of column clusters.

<code>m</code>	Vector of length $D$ . $d$ -th element defines the ordinal and categorical data's number of levels.
<code>functionalData</code>	Data tensor of dimension $N \times J \times T$ .
<code>nbSEM</code>	Number of SEM-Gibbs iterations realized to estimate parameters.
<code>nbSEMBurn</code>	Number of SEM-Gibbs burning iterations for estimating parameters. This parameter must be inferior to <code>nbSEM</code> .
<code>nbRepeat</code>	Number of times sampling on rows and on columns will be done at each SEM-Gibbs iteration.
<code>nbindmini</code>	Minimum number of cells belonging to a block.
<code>init</code>	String that indicates the kind of initialisation. Must be one of the following words : "kmeans", "random", "provided", "randomParams" or "randomBurnin".
<code>zrinit</code>	Vector of length $N$ . When <code>init="provided"</code> , indicates the labels of each row.
<code>zcinit</code>	Vector of length $J_{tot}$ . When <code>init="provided"</code> , indicates the labels of each column.
<code>percentRandomB</code>	Vector of length 2. Indicates the percentage of resampling when <code>init</code> is equal to "randomBurnin".
<code>percentRandomP</code>	Vector of length 2. Indicates the percentage of resampling when <code>init</code> is equal to "randomParams".

**Value**

<code>@V</code>	Matrix of dimension $N \times k_r$ such that $V[i,g]=1$ if $i$ belongs to cluster $g$ .
<code>@icl</code>	ICL value for co-clustering.
<code>@name</code>	
<code>@paramschain</code>	List of length <code>nbSEMBurn</code> . For each iteration of the SEM-Gibbs algorithm, the parameters of the blocks are stored.
<code>@pichain</code>	List of length <code>nbSEM</code> . Item $i$ is a vector of length $k_r$ which contains the row mixing proportions at iteration $i$ .
<code>@rhochain</code>	List of length <code>nbSEM</code> . Item $i$ is a list of length $D$ whose $d$ -th contains the column mixing proportions of groups of variables $d$ , at iteration $i$ .
<code>@zc</code>	List of length $D$ . $d$ -th item is a vector of length $J[d]$ representing the columns partitions for the group of variables $d$ .
<code>@zr</code>	Vector of length $N$ with resulting row partitions.
<code>@W</code>	List of length $D$ . Item $d$ is a matrix of dimension $J \times k_c[d]$ such that $W[j,h]=1$ if $j$ belongs to cluster $h$ .
<code>@m</code>	Vector of length $D$ . $d$ -th element represents the number of levels of $d$ -th group of variables.
<code>@params</code>	List of length $D$ . $d$ -th item represents the blocks parameters for group of variables $d$ .
<code>@pi</code>	Vector of length $k_r$ . Row mixing proportions.
<code>@rho</code>	List of length $D$ . $d$ -th item represents the column mixing proportion for $d$ -th group of variables.

@xhat	List of length D. d-th item represents the d-th group of variables dataset, with missing values completed.
@zrchain	Matrix of dimension nbSEM*N. Row i represents the row cluster partitions at iteration i.
@zcchain	List of length D. Item d is a matrix of dimension nbSEM*J[d]. Row i represents the column cluster partitions at iteration i.

**Author(s)**

Margot Selosse, Julien Jacques, Christophe Biernacki.

**Examples**

```
data(M1)
nbSEM=30
nbSEMBurn=20
nbindmini=1
init = "random"

kr=2
kc=c(2,2,2)
m=c(6,3)
d.list <- c(1,41,81)
distributions <- c("Multinomial","Gaussian","Bos")
res <- mixedCoclust(x = M1, idx_list = d.list,distrib_names = distributions,
                   kr = kr, kc = kc, m = m, init = init,nbSEM = nbSEM,
                   nbSEMBurn = nbSEMBurn, nbindmini = nbindmini)
```

# Index

\* **datasets**

M1, [2](#)

M1, [2](#)

mixedCoclust, [2](#)